

ProQuest History Vault Accessibility Conformance Report

International Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: ProQuest History Vault

Report Date: September 2020

Product Description:

ProQuest History Vault unlocks the wealth of key archival materials with a single search. Researchers can access digitized letters, papers, photographs, scrapbooks, financial records, diaries, and many more primary source materials taken from the University Publications of America (UPA) Collections.

Contact Information:

email.technicalsupport@proquest.com

Notes:

Evaluation Methods Used:

Sample list. Add or remove items as appropriate:

- Color Contrast Analyzer
- Deque aXe accessibility testing tool

- High Contrast Chrome extension
- Keyboard-access manual testing and assessment
- NVDA (NonVisual Desktop Access) screen-reader utility
- WebAim’s WAVE (Web Accessibility Evaluation tool)

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes) Level AA (Yes) Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes) Level AA (Yes) Level AAA (No)
Revised Section 508 standards published January 18, 2017 and corrected January 22, 2018	(Yes)
EN 301 549 Accessibility requirements suitable for public procurement of ICT products and services in Europe , - V3.1.1 (2019-11)	(No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports:** The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- **Partially Supports:** Some functionality of the product does not meet the criterion.
- **Does Not Support:** The majority of product functionality does not meet the criterion.
- **Not Applicable:** The criterion is not relevant to the product.

- **Not Evaluated:** The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.x Report

Tables 1 and 2 also document conformance with:

- EN 301 549: Chapter 9 - Web, Sections 10.1-10.4 of Chapter 10 - Non-Web documents, and Sections 11.1-11.4 and 11.8.2 of Chapter 11 - Non-Web Software (open and closed functionality), and Sections 12.1.2 and 12.2.4 of Chapter 12 – Documentation
- Revised Section 508: Chapter 5 – 501.1 Scope, 504.2 Content Creation or Editing, and Chapter 6 – 602.3 Electronic Support Documentation.

Note: When reporting on conformance with the WCAG 2.x Success Criteria, they are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the [WCAG 2.0 Conformance Requirements](#).

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.1.1 Non-text Content (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.1.1 (Web) • 10.1.1.1 (Non-web document) • 11.1.1.1.1 (Open Functionality Software) • 11.1.1.1.2 (Closed Functionality Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Partially supports</p>	<p>The application is fully compliant – all elements have appropriate alt attributes. Text within graphics is restricted to logos only. All images that are purely decorative are either coded as background images or have null alt text (so they do not interrupt the page when using a screen reader).</p> <p>However, we cannot guarantee that all images in the data have been given alt text. Some full text documents are in PDF image format only (unreadable to screen readers).</p>
<p>1.2.1 Audio-only and Video-only (Prerecorded) (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.1 (Web) • 10.1.2.1 (Non-web document) • 11.1.2.1.1 (Open Functionality Software) • 11.1.2.1.2.1 and 11.1.2.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The content does not include multimedia presentations.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.2.2 Captions (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.2 (Web) • 10.1.2.2 (Non-web document) • 11.1.2.2 (Open Functionality Software) • 11.1.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The content does not include multimedia presentations.
<p><u>1.2.3 Audio Description or Media Alternative (Prerecorded)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.3 (Web) • 10.1.2.3 (Non-web document) • 11.1.2.3.1 (Open Functionality Software) • 11.1.2.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The content does not include multimedia presentations.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.1 Info and Relationships</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.1 (Web) • 10.1.3.1 (Non-web document) • 11.1.3.1.1 (Open Functionality Software) • 11.1.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Data tables may appear in the product content. We cannot guarantee that these will have been coded with row and column headers.</p> <p>Exceptions:</p> <p>Some form elements are missing labels.</p> <ul style="list-style-type: none"> - Help icon link - Arrow icon links throughout product
<p><u>1.3.2 Meaningful Sequence</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.2 (Web) • 10.1.3.2 (Non-web document) • 11.1.3.2.1 (Open Functionality Software) • 11.1.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard and visual checks.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.3.3 Sensory Characteristics</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.3 (Web) • 10.1.3.3 (Non-web document) • 11.1.3.3 (Open Functionality Software) • 11.1.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	No instructions rely solely on color or other sensory characteristics.
<p><u>1.4.1 Use of Color</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.1 (Web) • 10.1.4.1 (Non-web document) • 11.1.4.1 (Open Functionality Software) • 11.1.4.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Color is used to enhance usability by drawing attention to certain areas of the screen, but color is never the only means of delivering important information.

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.2 Audio Control (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.2 (Web) • 10.1.4.2 (Non-web document) • 11.1.4.2 (Open Functionality Software) • 11.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Not applicable	The content does not include multimedia presentations.
<p>2.1.1 Keyboard (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.1 (Web) • 10.2.1.1 (Non-web document) • 11.2.1.1.1 (Open Functionality Software) • 11.2.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>ProQuest History Vault is designed to be keyboard accessible.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> – Can't navigate to "Sort by" dropdown menu on the results page via keyboard

Criteria	Conformance Level	Remarks and Explanations
<p>2.1.2 No Keyboard Trap (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.2 (Web) • 10.2.1.2 (Non-web document) • 11.2.1.2 (Open Functionality Software) • 11.2.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	In ProQuest History Vault users can navigate away from all components using a keyboard.
<p>2.1.4 Character Key Shortcuts (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.1.4 (Web) • 10.2.1.4 (Non-web document) • 11.2.1.4.1 (Open Functionality Software) • 11.2.1.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	There are no character key shortcuts in ProQuest History Vault.

Criteria	Conformance Level	Remarks and Explanations
<p>2.2.1 Timing Adjustable (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.1 (Web) • 10.2.2.1 (Non-web document) • 11.2.2.1 (Open Functionality Software) • 11.2.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	The product does not require timed responses.
<p>2.2.2 Pause, Stop, Hide (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.2.2 (Web) • 10.2.2.2 (Non-web document) • 11.2.2.2 (Open Functionality Software) • 11.2.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	ProQuest History Vault content does not include animations.

Criteria	Conformance Level	Remarks and Explanations
<p>2.3.1 Three Flashes or Below Threshold (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.3.1 (Web) • 10.2.3.1 (Non-web document) • 11.2.3.1 (Open Functionality Software) • 11.2.3.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	ProQuest History Vault does not use flashing or blinking elements in the user interface.
<p>2.4.1 Bypass Blocks (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.1 (Web) • 10.2.4.1 (Non-web document) – Does not apply • 11.2.4.1 (Open Functionality Software) – Does not apply • 11.2.4.1 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Partially Supports	<p>Users can skip to main content using a skip link.</p> <p>Exception: The skip link is not visually displayed and is only obvious to screen readers.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.2 Page Titled (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.2 (Web) • 10.2.4.2 (Non-web document) • 11.2.4.2 (Open Functionality Software) - Does not apply • 11.2.4.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	Pages are titled but are given generic titles that make them difficult to distinguish.
<p>2.4.3 Focus Order (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.3 (Web) • 10.2.4.3 (Non-web document) • 11.2.4.3 (Open Functionality Software) • 11.2.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Focus order is logical and follows visual hierarchy of elements on page.

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.4.4 Link Purpose (In Context)</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.4 (Web) • 10.2.4.4 (Non-web document) • 11.2.4.4 (Open Functionality Software) • 11.2.4.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>The purpose of most links are described by its link text or by the link text together with preceding page context.</p> <p>See exceptions in 1.3.1</p>
<p><u>2.5.1 Pointer Gestures</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.1 (Web) • 10.2.5.1 (Non-web document) • 11.2.5.1 (Open Functionality Software) • 11.2.5.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>This product does not contain multipoint or path-based gestures.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>2.5.2 Pointer Cancellation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.2 (Web) • 10.2.5.2 (Non-web document) • 11.2.5.2 (Open Functionality Software) • 11.2.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	In ProQuest History Vault users can cancel functions that can be operated using a single pointer.
<p><u>2.5.3 Label in Name</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.3 (Web) • 10.2.5.3 (Non-web document) • 11.2.5.3.1 (Open Functionality Software) • 11.2.5.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	<p>Most native widgets with visible labels or instructions are programmatically related to those labels or instructions.</p> <p>See exceptions in 3.3.2</p>
<p><u>2.5.4 Motion Actuation</u> (Level A 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.5.4 (Web) • 10.2.5.4 (Non-web document) • 11.2.5.4 (Open Functionality Software) • 11.2.5.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	No function in ProQuest History Vault is operable through motion.

Criteria	Conformance Level	Remarks and Explanations
<p>3.1.1 Language of Page (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.1 (Web) • 10.3.1.1 (Non-web document) • 11.3.1.1.1 (Open Functionality Software) • 11.3.1.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Does Not Support	Page language is not declared.
<p>3.2.1 On Focus (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.1 (Web) • 10.3.2.1 (Non-web document) • 11.3.2.1 (Open Functionality Software) • 11.3.2.1 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Functionality is predictable as a user moves through ProQuest History Vault, no component that is able to trigger an event when it receives focus can change the context.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.2 On Input (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.2 (Web) • 10.3.2.2 (Non-web document) • 11.3.2.2 (Open Functionality Software) • 11.3.2.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	No changes in context occur upon the change the settings of a user-interface component in ProQuest History Vault.
<p>3.3.1 Error Identification (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.1 (Web) • 10.3.3.1 (Non-web document) • 11.3.3.1.1 (Open Functionality Software) • 11.3.3.1.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	Error identification is present and clear when necessary.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.2 Labels or Instructions</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.2 (Web) • 10.3.3.2 (Non-web document) • 11.3.3.2 (Open Functionality Software) • 11.3.3.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>All forms have been coded with the necessary mark-up (use of labels/ids, field sets, etc.) to make them accessible to assistive technologies.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Search input field missing label - Several dropdown menus and checkboxes are missing labels in Advanced Search - Search button
<p><u>4.1.1 Parsing</u> (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.1 (Web) • 10.4.1.1 (Non-web document) • 11.4.1.1.1 (Open Functionality Software) • 11.4.1.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>ID attribute values are unique on active focusable elements.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Session link - Navigation bar - Sign in link

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.2 Name, Role, Value (Level A)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.2 (Web) • 10.4.1.2 (Non-web document) • 11.4.1.2.1 (Open Functionality Software) • 11.4.1.2.2 (Closed Software) – Not required • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	Sufficient information about a user interface element is available in the majority of cases.

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
<p>1.2.4 Captions (Live) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.4 (Web) • 10.1.2.4 (Non-web document) • 11.1.2.4 (Open Functionality Software) • 11.1.2.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The content does not include multimedia presentations.</p>
<p>1.2.5 Audio Description (Prerecorded) (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.2.5 (Web) • 10.1.2.5 (Non-web document) • 11.1.2.5 (Open Functionality Software) • 11.1.2.5 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	<p>Not applicable</p>	<p>The content does not include multimedia presentations.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.3.4 Orientation (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.4 (Web) • 10.1.3.4 (Non-web document) • 11.1.3.4 (Open Functionality Software) • 11.1.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	Content in ProQuest History Vault adjusts automatically to the user’s screen orientation. The design is responsive.
<p>1.3.5 Identify Input Purpose (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.3.5 (Web) • 10.1.3.5 (Non-web document) • 11.1.3.5.1 (Open Functionality Software) • 11.1.3.5.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	The text boxes in this product have the correct HTML5 autocomplete attribute of “off” for their purposes.

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.3 Contrast (Minimum)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.3 (Web) • 10.1.4.3 (Non-web document) • 11.1.4.3 (Open Functionality Software) • 11.1.4.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially Supports	<p>Color contrast meets minimum standards for text on white backgrounds and in other areas of the site.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Dates on timeline events - Headings in grey boxes - White text on green buttons and header background
<p><u>1.4.4 Resize text</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.4 (Web) • 10.1.4.4 (Non-web document) • 11.1.4.4.1 (Open Functionality Software) • 11.1.4.4.2 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>There is no loss of text content or functionality when the browser is zoomed to 200% while using ProQuest History Vault. The design is responsive.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>1.4.5 Images of Text (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.5 (Web) • 10.1.4.5 (Non-web document) • 11.1.4.5.1 (Open Functionality Software) • 11.1.4.5.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	<p>ProQuest History Vault uses standard HTML input elements as supported by all browsers.</p> <p>Any text written to the screen can be interpreted by assistive technologies.</p>
<p>1.4.10 Reflow (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.10 (Web) • 10.1.4.10 (Non-web document) • 11.1.4.10 (Open Functionality Software) • 11.1.4.10 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Users can zoom the browser to 400% and still read the text without having to scroll in two directions when using ProQuest History Vault. The design is responsive.</p>

Criteria	Conformance Level	Remarks and Explanations
<p><u>1.4.11 Non-text Contrast</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.11 (Web) • 10.1.4.11 (Non-web document) • 11.1.4.11 (Open Functionality Software) • 11.1.4.11 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	<p>Color contrast meets minimum standards for most user-interface components.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Green buttons and header menu
<p><u>1.4.12 Text Spacing</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.12 (Web) • 10.1.4.12 (Non-web document) • 11.1.4.12 (Open Functionality Software) • 11.1.4.12 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Partially supports	<p>In most situations in ProQuest History Vault there is no loss of content or functionality that occurs by increasing the spacing between letters, words, lines of text, and paragraphs. The design is responsive.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Minor overlapping of body copy and button on homepage
<p><u>1.4.13 Content on Hover or Focus</u> (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.1.4.13 (Web) • 10.1.4.13 (Non-web document) • 11.1.4.13 (Open Functionality Software) • 11.1.4.13 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	<p>Content that appears on hover in ProQuest History Vault is dismissible.</p>

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.5 Multiple Ways (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.5 (Web) • 10.2.4.5 (Non-web document) – Does not apply • 11.2.4.5 (Open Functionality Software) – Does not apply • 11.2.4.5 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	ProQuest History Vault provides navigation in the header and the footer of every page.
<p>2.4.6 Headings and Labels (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.6 (Web) • 10.2.4.6 (Non-web document) • 11.2.4.6 (Open Functionality Software) • 11.2.4.6 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>Headings are used throughout the website for visual consistency and information hierarchy.</p> <p>Exceptions:</p> <ul style="list-style-type: none"> - Some headings are missing - Heading levels are skipped in some cases.

Criteria	Conformance Level	Remarks and Explanations
<p>2.4.7 Focus Visible (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.2.4.7 (Web) • 10.2.4.7 (Non-web document) • 11.2.4.7 (Open Functionality Software) • 11.2.4.7 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Partially supports	<p>The current input focus can be discerned by assistive technology (using standard html code for forms, etc).</p> <p>Current focus is also made visible by changes to the color, text style of links, and other visual changes that occur when element is given focus.</p> <p>Exception:</p> <ul style="list-style-type: none"> - Menus on the Advanced Search page do not have visible focus when navigating with a keyboard.
<p>3.1.2 Language of Parts (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.1.2 (Web) • 10.3.1.2 (Non-web document) • 11.3.1.2 (Open Functionality Software) – Does not apply • 11.3.1.2 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	There are no changes in language in ProQuest history Vault.

Criteria	Conformance Level	Remarks and Explanations
<p>3.2.3 Consistent Navigation (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.3 (Web) • 10.3.2.3 (Non-web document) – Does not apply • 11.3.2.3 (Open Functionality Software) – Does not apply • 11.3.2.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	Navigation is consistent throughout product.
<p>3.2.4 Consistent Identification (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.2.4 (Web) • 10.3.2.4 (Non-web document) – Does not apply • 11.3.2.4 (Open Functionality Software) – Does not apply • 11.3.2.4 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) – Does not apply to non-web software • 504.2 (Authoring Tool) • 602.3 (Support Docs) – Does not apply to non-web docs 	Supports	There is consistent identification throughout product.

Criteria	Conformance Level	Remarks and Explanations
<p><u>3.3.3 Error Suggestion</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.3 (Web) • 10.3.3.3 (Non-web document) • 11.3.3.3 (Open Functionality Software) • 11.3.3.3 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	When possible identification users receive appropriate suggestions for correction of an input error.
<p><u>3.3.4 Error Prevention (Legal, Financial, Data)</u> (Level AA)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.3.3.4 (Web) • 10.3.3.4 (Non-web document) • 11.3.3.4 (Open Functionality Software) • 11.3.3.4 (Closed Software) • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508</p> <ul style="list-style-type: none"> • 501 (Web)(Software) • 504.2 (Authoring Tool) • 602.3 (Support Docs) 	Supports	This product does not collect any legal or financial data.

Criteria	Conformance Level	Remarks and Explanations
<p>4.1.3 Status Messages (Level AA 2.1 only)</p> <p>Also applies to:</p> <p>EN 301 549 Criteria</p> <ul style="list-style-type: none"> • 9.4.1.3 (Web) • 10.4.1.3 (Non-web document) • 11.4.1.3 (Open Functionality Software) • 11.4.1.3 (Closed Software) – Does not apply • 11.8.2 (Authoring Tool) • 12.1.2 (Product Docs) • 12.2.4 (Support Docs) <p>Revised Section 508 – Does not apply</p>	Supports	This product does not generate any status messages that need to be programmatically determinable without receiving focus.

Revised Section 508 Report

Notes:

Chapter 3: [Functional Performance Criteria \(FPC\)](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
302.1 Without Vision	Partially supports	<p>This product is coded to work with screen readers and other assistive technologies.</p> <p>Exceptions In a few cases stated in sections above control label is not provided to the user, control is not reachable with keyboard only, live screen updates are not communicated to the user, etc. See above section: 1.1.1 Non-text content</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p>
302.2 With Limited Vision	Partially supports	<p>This product is coded to work with screen readers and other assistive technologies. In addition, text size can be adjusted through standard browser functionality.</p> <p>Exceptions, see above section: 1.1.1 Non-text content</p> <p>Compliance of this standard was validated using screen readers (listed above) and manual keyboard checks.</p>

Criteria	Conformance Level	Remarks and Explanations
302.3 Without Perception of Color	Supports	<p>Color is used to enhance usability by drawing attention to certain areas of the screen. Color is never the only means of conveying information, indicating an action, prompting a response, or distinguishing a visual element.</p> <p>If needed, the product's CSS can be overridden using the browser.</p> <p>Compliance of this standard was validated using manual visual checks.</p>
302.4 Without Hearing	Supports	<p>User hearing is not required to search, browse, or use features that are available in the product.</p> <p>This standard was evaluated using manual auditory checks.</p>
302.5 With Limited Hearing	Supports	<p>User hearing is not required to search, browse, or use features that are available in the product.</p> <p>This standard was evaluated using manual auditory checks.</p>
302.6 Without Speech	Supports	<p>User speech is not required to use the product.</p> <p>Compliance of this standard was validated using manual visual checks.</p>

Criteria	Conformance Level	Remarks and Explanations
302.7 With Limited Manipulation	Partially supports	<p>All screen elements are designed to be accessible for users with poor motor control (e.g., clickable areas are suitably sized and spaced). Links and form elements can be accessed using the tab key.</p> <p>Exceptions, see above sections: 2.1.1 Keyboard (Level A) 2.4.1 Bypass Blocks (Level A) 2.4.7 Focus Visible</p> <p>Compliance of this standard was validated using manual keyboard and visual checks.</p>
302.8 With Limited Reach and Strength	Partially supports	<p>At least one mode of operation that is operable with limited reach and limited strength.</p> <p>For example:</p> <ul style="list-style-type: none"> • The product can be used using keyboard-only. • All active elements can receive keyboard focus. • The focus order of form fields is presented in a logical order. <p>Exceptions, see above sections: 2.1.1 Keyboard (Level A) 2.4.1 Bypass Blocks (Level A) 2.4.7 Focus Visible</p> <p>Compliance of this standard was validated using manual keyboard and visual checks.</p>

Criteria	Conformance Level	Remarks and Explanations
302.9 With Limited Language, Cognitive, and Learning Abilities	Partially supports	<p>The product provides features that make its use by individuals with limited cognitive, language, and learning abilities simpler and easier.</p> <p>For example:</p> <ul style="list-style-type: none"> • Audio does not automatically play on load, minimizing distractions. • Form fields are presented in a standard, consistent way across the product. • Form elements are properly labeled. <p>Exceptions, see above section: 2.4.6 Headings and Labels (Level AA)</p> <p>Compliance of this standard was validated using manual visual checks.</p>

Chapter 5: [Software](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
501.1 Scope – Incorporation of WCAG 2.0 AA	See WCAG 2.x section	See information in WCAG 2.x section
502 Interoperability with Assistive Technology	Heading cell – no response required	Heading cell – no response required
502.2.1 User Control of Accessibility Features	Supports	This product does not interfere with accessibility features that are available through the user’s operating system or browser. For example, users can use high contrast mode, text resize, and speech output.

Criteria	Conformance Level	Remarks and Explanations
502.2.2 No Disruption of Accessibility Features	Supports	<p>This product is coded in a way so that platform features that are defined in the platform documentation as accessibility features are no disrupted.</p> <p>Compliance of this standard was validated using manual keyboard and visual checks.</p>
502.3 Accessibility Services	Heading cell – no response required	Heading cell – no response required
502.3.1 Object Information	Partially supports	<p>This product is coded in a way so that object role, state(s), properties, boundary, name, and description are available for assistive technology.</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p> <p>Exception, see above section: 4.1.2 Name, Role, Value (Level A)</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.2 Modification of Object Information	Partially supports	<p>This product is coded in a way so that states and properties states and properties that can be set by the user are capable of being set programmatically, including through assistive technology.</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p> <p>Exceptions, see above sections: 2.5.3 Label in Name (Level A 2.1 only) 2.4.6 Headings and Labels (Level AA) 3.3.2 Labels or Instructions (Level A) 4.1.2 Name, Role, Value (Level A)</p>
502.3.3 Row, Column, and Headers	Partially supports	<p>Data tables are not used as part of the application. As new content is added, data tables may be included with the content. While we encourage our publishing partners to supply properly marked up content, as a practice, we do not generally alter content at this level.</p> <p>Exceptions, see above section: 1.3.1 Info and Relationships (Level A)</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.4 Values	Partially supports	<p>This product is coded in a way so that value of a user interface control can be identified by the user</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p> <p>Exceptions, see above section: 4.1.2 Name, Role, Value (Level A)</p>
502.3.5 Modification of Values	Supports	<p>This product is coded in a way so that value of a user interface control can be set by the user, allowing the value to be set programmatically including through assistive technology</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.6 Label Relationships	Partially supports	<p>This product is coded in a way exposing labels, exposing relationships between a control and any text or other component that provides additional information about the control such as description, instructions, grouping or identifying a required field.</p> <p>Exceptions, see above sections: 2.5.3 Label in Name (Level A 2.1 only) 2.4.6 Headings and Labels (Level AA)</p>
502.3.7 Hierarchical Relationships	Partially supports	<p>This product is coded in a way to programmatically expose the parent of all user interface objects, expose the children, if any, of all user interface objects, and expose any relations between user interface objects and those that contain them.</p> <p>Exceptions, see above section: 1.3.1 Info and Relationships (Level A)</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard and visual checks.</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.8 Text	Supports	<p>This product is coded in a way to expose the content of text objects, text attributes, and the boundary of text rendered to the screen</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard and visual checks.</p>
502.3.9 Modification of Text	Supports	<p>This product is coded in a way so that when the rich text is editable, it exposes the ability to cut, copy, paste, insert and set the attributes of the text</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard and visual checks.</p>
502.3.10 List of Actions	Supports	<p>This product is coded in a way to expose all actions that can be executed on an object</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.11 Actions on Objects	Partially supports	<p>This product is coded in a way to allow assistive technologies (AT) to programmatically execute available actions on objects.</p> <p>Exceptions, see above section: 4.1.2 Name, Role, Value (Level A)</p> <p>Compliance of this standard was validated using a combination of screen readers (see list in the Notes above) and manual keyboard checks.</p>
502.3.12 Focus Cursor	Supports	<p>The current input focus can be discerned by assistive technology (using standard html code for forms, etc.).</p> <p>This standard was evaluated using screen readers (listed above).</p>
502.3.13 Modification of Focus Cursor	Supports	<p>Users are able to modify the location of focus (for user focusable controls), the text insertion point (caret) when a caret exists, and change selection attributes of objects (when text and items can be selected by the user).</p> <p>This standard was evaluated using screen readers (listed above).</p>

Criteria	Conformance Level	Remarks and Explanations
502.3.14 Event Notification	Supports	<p>This product is coded in a way to notify assistive technologies (AT) of events relevant to user interactions, including but not limited to changes in the component's state(s), value, name, description, or boundary.</p> <p>This standard was evaluated using screen readers (listed above).</p>
502.4 Platform Accessibility Features	Supports	<p>The product does not interfere with system features to:</p> <ul style="list-style-type: none"> • Enable sequential entry of multiple (chorded) keystrokes (Section 9.3.3) • Provide adjustment of delay before key acceptance (Section 9.3.4) • Provide adjustment of same-key double-strike acceptance (Section 9.3.5) • Provide screen reader support. In addition, a text-to-speech feature is available on document pages. It is an optional feature that can be enabled in the customer's account. (Section 10.6.9) <p>This standard was evaluated using screen readers (listed above), manual keyboard checks, and manual visual checks.</p>
503 Applications	Heading cell – no response required	Heading cell – no response required

Criteria	Conformance Level	Remarks and Explanations
503.2 User Preferences	Supports	<p>This product is coded to: Support systems settings for high contrast for all user interface controls and client area content Inherit system settings for color, font type and font size for all elements of the user interface Inherit system settings for the focus cursor The CSS style sheet can be overridden in the product using the browser settings.</p> <p>Compliance of this standard was validated using manual visual checks and browser contrast plugins</p>
503.3 Alternative User Interfaces	Not applicable	This product doesn't provide alternative user interface that functions as assistive technology
503.4 User Controls for Captions and Audio Description	Heading cell – no response required	Heading cell – no response required
503.4.1 Caption Controls	Not applicable	There is no captions and audio descriptions
503.4.2 Audio Description Controls	Not applicable	There is no captions and audio descriptions
<u>504 Authoring Tools</u>	Heading cell – no response required	Heading cell – no response required
504.2 Content Creation or Editing (if not authoring tool, enter “not applicable”)	See WCAG 2.x section	See information in WCAG 2.x section
504.2.1 Preservation of Information Provided for Accessibility in Format Conversion	Not applicable	There are no web content authoring tools

Criteria	Conformance Level	Remarks and Explanations
504.2.2 PDF Export	Not applicable	There are no web content authoring tools
504.3 Prompts	Not applicable	There are no web content authoring tools
504.4 Templates	Not applicable	There are no web content authoring tools

Chapter 6: [Support Documentation and Services](#)

Notes:

Criteria	Conformance Level	Remarks and Explanations
601.1 Scope	Heading cell – no response required	Heading cell – no response required
602 Support Documentation	Heading cell – no response required	Heading cell – no response required
602.2 Accessibility and Compatibility Features	Supports	<p>An Accessibility help page is available in the Help section.</p> <p>This help page includes useful information on:</p> <ul style="list-style-type: none"> • Navigation • Using the Tab key • Skip navigation
602.3 Electronic Support Documentation	See WCAG 2.x section	See information in WCAG 2.x section

Criteria	Conformance Level	Remarks and Explanations
602.4 Alternate Formats for Non-Electronic Support Documentation	Supports	<p>Product support documentation is provided online through the product's help system and through the Support Center area of the ProQuest's corporate site.</p> <p>This documentation can be accessed online or printed. End-users can also contact customer support (by phone, email, chat, or through the Contact Us web form) to request any further help. If alternative formats of product support documentation are required, we will do our best to accommodate the requested format, at no additional charge. These formats may include ASCII text, large print, and accessible electronic formats.</p>
<u>603 Support Services</u>	Heading cell – no response required	Heading cell – no response required
603.2 Information on Accessibility and Compatibility Features	Supports	<p>An Accessibility help page is available in the Help section.</p> <p>This help page includes useful information on:</p> <ul style="list-style-type: none"> • Navigation • Using the Tab key • Skip navigation

Criteria	Conformance Level	Remarks and Explanations
603.3 Accommodation of Communication Needs	Supports	<p>Support services are available to accommodate the communication needs of end users with disabilities.</p> <p>Users can communicate with customer support via:</p> <ul style="list-style-type: none"> • Phone • Email • Chat <p>Support services have experience working with end users with disabilities.</p>

Legal Disclaimer (ProQuest)

This Accessibility Conformance Report represents the specific release of the product described, as of the date of this document. Notwithstanding the information contained in the Accessibility Conformance Report, if use of the product is subject to a license agreement, the terms and conditions of the product's license agreement remain in full force and effect, including any limitation of liability and disclaimer of warranties provisions.